



Report #:

IF-824-QSA-TR006-BTL260714-12-02

Page 1 of 2

Title:

Certificate of Analysis (CoA)



Date: 8/1/2026
Date Tested: 7/31/2026
Customer: Repair Aminos
Testing material: MOTS-c
Lot Number: almot07-26-01
Content/Potency: 20 mg
Storage: R.T.
Visual Description: Small clear vial: white sample, white label, silver crimp, clear pink plastic cap.
Labeled as: MOTS-c
Manufacturer: N/A
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	88 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of MOTS-c with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: $\geq 98\%$	99.8 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 20 mg	21.3 mg (106.4 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	21.3 : 66.7 mg (1:3.1)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, BS
Scientist-II
BTLabs

Escarlet Cabrieles, BS
Scientist-II
BTLabs

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407

Phone: (561) 625-0133


E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>

Title:


Certificate of Analysis (CoA)



FTIR ID and Composition Analysis: MOTS-c Lot almot07-26-01



HPLC Purity and Potency Assay @ 280 nm: MOTS-c Lot almot07-26-01



MOTS-c Lot almot07-26-01 @ 280 nm

Peak #:	Retention Time (min)	Area (mAU*s)
1	5.891	4258.3